

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office JUL 2 1979

Returned to applicant for correction _____

Corrected application filed _____

Map filed JUL 2 1979

The applicant Paul Kelsay

3120 So. Eastern Avenue, Apt. #10, of Las Vegas
Street and No. or P.O. Box No. City or Town

Nevada 89109, hereby make application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is from underground source (Las Vegas
Name of stream, lake or other source.
Basin) Clark County, Nevada

2. The amount of water applied for is 2.50gpm = 0.00557 cfs second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet _____ acre-feet

3. The water to be used for quasi-municipal purposes (2 residences)
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated) N/A

(b) Stockwater (state number and kinds of animals to be watered) N/A

(c) Other use (describe fully under "No. 12. Remarks") _____

(d) Power:

(1) Horsepower developed N/A

(2) Point of return of water to stream N/A

5. The water is to be diverted from its source at the following point: located in the NW4, SW4
Section 16, T22S, R61E, MDB&M. Clark County, Nevada from which the
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
center section corner of said section 16 bears N79°08'50"E, 1,394.44 ft.
it should be stated.

6. Place of use a portion of the NW4, SW4 Section 16, T22S, R61E, MDB&M,
Describe by legal subdivision, if on unsurveyed land it should be so stated.
containing 1.95 acres, more or less

7. Use will begin about Jan. 1st. and end about Dec. 31st., of each year.
Day and Month Day and Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drill cased well, concrete encasement
top 50ft., install pump and motor, storage tanks, distribution system,
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.
and appurtenances

9. Estimated cost of works.....\$15,000.00
10. Estimated time required to construct works.....1 to 2 years
11. Estimated time required to complete the application to beneficial use.....5 years
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

water to be used for two domestic residences

Applicant s/ Paul Kelsay
Paul Kelsay

By s/ Russell Avery
Avery & Associates
Consulting Engineers
P.O. Box 15146
Las Vegas, Nevada 89114

Compared lp/vw gk/ja

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed in the discharge pipeline, near the point of diversion, and accurate measurements must be kept of water placed to beneficial use. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.00557 cubic feet per second, but not to exceed 0.73 million gallons annually.

- Actual construction work shall begin on or before.....October 7, 1980
- Proof of commencement of work shall be filed before.....November 7, 1980
- Work must be prosecuted with reasonable diligence and be completed on or before.....October 7, 1981
- Proof of completion of work shall be filed before.....November 7, 1981
- Application of water to beneficial use shall be made on or before.....October 7, 1983
- Proof of the application of water to beneficial use shall be filed on or before.....November 7, 1983
- Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed.....NOV 26 1980

Completion of work filed.....NOV 15 1982

Proof of beneficial use filed.....FEB 12 1986

Cultural map filed.....

Certificate No.....Issued.....

Recorded.....Bk.....Page.....

County Recorder

IN TESTIMONY WHEREOF, I WILLIAM J. NEWMAN
State Engineer of Nevada, have hereunto set my hand and the seal of
my office, this 7th day of APRIL
A.D. 1980
William J. Newman
State Engineer